ARTIFICIAL FOOT

Patent Number:

WO8400681

Publication date:

1984-03-01

Inventor(s):

TAKAHAMA ITSURO (JP)

Applicant(s):

TAKAHAMA ITSURO

Requested Patent:

T WO8400681

Application Number: WO1983JP00265 19830812

Priority Number(s): JP19820141583 19820812

IPC Classification:

A61F1/04; A61F1/08

EC Classification:

A61F2/66

Equivalents:

JP1430397C, T JP59032454, JP62037986B

Cited Documents:

JP54133697U; JP56004008Y; JP33000347B

Abstract

In an artificial foot of the structure shown in Fig. 2, the hardness of front and rear elastic units is prepared according to body weight, thereby producing the relationship between the amount of compression and the repulsion force of the elastic units shown by the solid line in Fig. 3, and approximating the motion of the heel when a healthy person walks, as shown in Fig. 1. As shown in Fig. 4, since the foot is tilted slightly downward and the centroid of the body is displaced slightly forward of the heel when standing erect, the amount of compression and the repulsion force provided by the forward elastic units necessary to obtain stability move to the point marked with a dot in Fig. 3. Accordingly, it is better to produce a relationship between compression and repulsion force shown by the broken line to obtain stability when standing erect, and approximate the walking motion of The structure of the foot capable of performing this is as shown in Fig. 5. Stability when standing erect can be obtained by the repulsion force of one front elastic unit (4, 1) compressed from its initial condition, and when the body centroid moves forward from the erect position, the foot is tilted forward from the state in which only the front elastic unit (4, 1) is compressed relatively softly to one in which another front elastic unit (4, 2) is compressed, so that both the front elastic units (4, 1) and (4, 2) are compressed, thereby producing a relatively strong repulsion force and enabling a walk similar to normal walking.

Data supplied from the esp@cenet database - 12

世界知的所有權權閱 国 僚 事 務 局.



特許協力条約に基づいて公開された国際出願

(51) 国際特許分類 ³ A61F 1/04, 1/08 A1 (II) 国際公開番号

WO 84/ 00681

(43) 国際公開日

1984年3月1日 (01.03.84)

(21) 国際出願番号

PCT/JP83/00265

(22) 国際出願日

1983年8月12日 (12.08.83)

(31) 優先権主張番号

特顧昭57-141583

(32) 優先日

1982年8月12日 (12.08.82)

(33) 優先権主張国

JP

(71) 出願人; および

(72) 発明者

高浜逸郎 (TAKAHARA, Itsuro) [JP/JP]

(81)指定国


DE, DE (欧州特許), US.

添付公開書類

国際調査報告書

(54) Title: ARTIFICIAL FOOT

(54)発明の名称



(57) Abstract

In an artificial foot of the structure shown in Fig. 2, the hardness of front and rear elastic units is prepared according to body weight, thereby producing the relationship between the amount of compression and the repulsion force of the elastic units shown by the solid line in Fig. 3, and approximating the motion of the heel when a healthy person walks, as shown in Fig. 1. As shown in Fig. 4, since the foot is tilted slightly downward and the centroid of the body is displaced slightly forward of the heel when standing erect, the amount of compression and the repulsion force provided by the forward elastic units necessary to obtain stability move to the point marked with a dot in Fig. 3. Accordingly, it is better to produce a relationship between compression and repulsion force shown by the broken line to obtain stability when standing erect, and approximate the walking motion of The structure of the foot capable of performing this is as shown in Fig. 5. Stability when standing erect can be obtained by the repulsion force of one front elastic unit (4, 1) compressed from its initial condition, and when the body centroid moves forward from the erect position, the foot is tilted forward from the state in which only the front elastic unit (4, 1) is compressed relatively softly to one in which another front elastic unit (4, 2) is compressed, so that both the front elastic units (4, 1) and (4, 2) are compressed, thereby producing a relatively strong repulsion force and enabling a walk similar to normal walking.

(57) 要約

図2に示される構造の義足において、徒方弾性体と前方弾性体の硬度を体重に対応した硬度にし、図3の実験で示される弾性体の圧縮量と反抗力との関係を作り出せば、図1の健常者が多く時の謎の運動を近似することができる。一方、図4に示されているように、直立時には、下騒が少し前傾し、体重心が繋より少し前に出ているので、安定を存っために必要な前方弾性体の圧縮量と反抗力は図3において・田の点になる。したがって、直立時の安定を確保すること、および、図1の歩行運動を近似することの両方を可能にするためには、破譲のような弾性体との反抗力の関係を

作り出すのが良い。 それを実現することのできる義足の構造は図5のようになる。最初から圧縮されている前方弾性体(4。1)の反抗力によって直立時の安定が得られ、直立時より体重心が前に出ると、先す前方弾性体(4。1)のみの圧縮によって比較的乗い状態で下騒が前便し、さらに前方弾性体(4。2)が圧縮されるようになると双方の前方弾性体(4。1)および(4。2)が圧縮されることによって比較的強い反抗力が生じ、正常な歩行に模似した歩行が可能となる。

情報としての用途のみ

PCTに基づいて公開される国際出版のパンフレット第1頁にPCT加盟国を同定するために 使用されるコード

AT オーストリア LI リヒテンシュタイン ΑU オーストラリア LK スリランカ BE ルクセンブルグ LU BR プラジル ЯC モナコ CF 中央アフリカ共和国 NG マダガスカル CG コンゴー モーリタニア MR CH スイス マラウイ CX カメルーン DE 西ドイツ NO ノルウエー DK デンマーク ルーマニア FΙ フインランド スウエーデン SE FR フランス SN セネガル ガポン GA SU ソヒエト選邦 GB イギリス TD HU ハンガリー T0 アーコ JP 日本 US 米国 KP 朝鮮民主主義人民共和国

朔 細 書

「発明の名称」

義足

「技術分野」

義足使用者が不自由無く、正常な歩行を可能にする為の義足の構造に関する発明

「背景技術」及び「考案の開示」

従来の義足は、体重を支え得るように、くるぶし関節より前方の部分が 非弾力性の材料でできているか、もしくは非常に固い弾性体が内蔵されて いるので、下腿と足底を適当な鋭角に選ぶことができなかった。そこで、 直立静止時の安定および歩行時の正常な動作を得るための義足の構造を発 明した。

「図面の簡単な説明」

第1図は人の歩行の一周期の間の右半身の姿勢の変化の解説図 第2図は図1に示されたくるぶし関節の運動を精度良く近似することの できる義足の解説のための図

第3図は第2図および第5図に示されている弾性体の圧縮量と反力の関係の線図

第4図は直立時の重心の位置を示す図

第5図は本発明の実施例を示す図

1・・・下腿 2・・・くるぶし関節軸

3・・・後方弾性体 4・・・前方弾性体

4.1・・・前方弾性体 4.2・・・前方弾性体

5・・・足底 6・・・弾性体押さえ



7・・・ストッパ

「発明を実施するための最良の形態」

本発明の義足は、くるぶし関節より前方の足部に2個の前方弾性体が内蔵されており、直立静止時においては、その一方の前方弾性体(4.1)は弾性体押さえ(6)にやや押されて予め圧縮された状態にあり、ストッパ(7)によって弾性体押さえ(6)のこれより上方への運動が阻止されている。また、他方の前方弾性体(4.2)と弾性体押さえの間には多少の隙間がある。





請求の範囲

下腿と足部がくるぶし関節軸で連結され、その軸の前後の、下腿と足部との間に人の筋の役割をする弾性体が備えられた義足において、弾性体の伸びを制限するための弾性体押さえ、および弾性体押さえを止めるストッパを取り付けて、予め圧縮された状態の前方弾性体を内蔵する、あるいは更にこの前方弾性体を2つに分けて、その一方を予め圧縮させるととなく弛緩した状態で弾性体押さえから多少離して位置させたことを特長とする義足





図面













INTERNATIONAL SEARCH REPORT

		INTERNATIONAL	International Application No. PCT/.	JP83/00265			
1. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) 3							
According to International Patent Classification (IPC) or to both National Classification and IPC							
Int. Cl. ³ A61F 1/04, 1/08							
IL FIELDS SEARCHED Minimum Documentation Searched 4							
Classification System . Classification Symbols							
Classification System							
I P C A61F 1/00, 1/03, 1/04, 1/08, 1/10							
	Documentation Searched other than Minimum Documentation to the Extent that such Documents are included in the Fields Searched ^a						
		Jitsuyo Shinan Koho 1926 - 1982					
		Kokai Jitsuyo Shinan Koho	1971 - 1982				
IIL DOCU	MENTS C	CONSIDERED TO BE RELEVANT"		luci v mara del alla 15			
Category*	Cita	lion of Document, ¹⁶ with Indication, where approp	rists, of the relevant passages 17	Relevant to Claim No. 16			
A	TD	U, 54-133697 (Konsen Denk	i Seisakusho Kabushiki	1			
	Kai	sha), 17. September. 1979 ((17. 09. 79)				
A	JP, Y2, 56-4008 (Konsen Denki Seisakusho Kabushiki			1			
	Kai	sha), 29. January. 1981 (2	29. 01. 81)				
		•					
	_	oo our dr. di Recebiel	i Takahashi Osamu)	1			
A				-			
	24. January. 1958 (24. 01. 58)						
,							
	1						
				ł			
	!						
* Special categories of clied documents: 15 "T" tater document published after the international filling date or priority date and not in conflict with the application justified to							
"A" doc	:ument de :sidered to	fining the general state of the art which is not be of particular relevance	understand the principle or titled	ry underlying the invention cannot			
"E" ear	"E" earlier document but published on or after the international be considered novel or cannot be considered to involve an						
" designed which was those doubts on priority claims Of the designed invention cannot							
cita	which is cited to establish the publication date of another be considered to involve an inventive step when the occurrent citation or other special reason (as specified) be considered to involve an inventive step when the occurrent is combined with one or more other such documents, such						
"O" document referring to an oral disclosure, use, exhibition or other means "a" document member of the same patent family							
"P" document published prior to the international filing data but later than the priority data claimed							
IV. CERTIFICATION							
Date of the Actual Completion of the International Search ² Date of Mailing of this International Search Report ³							
October 20, 1983 (20. 10. 83) October 31, 1983 (31. 10. 83)							
	International Searching Authority Signature of Authorized Officer **						
Japanese Patent Office							

Form PCT/ISA/210 (second sheet) (October 1981)

T SE	の属する分野の分類						
国際特許分類 (IPC)							
Int.Cl* A61F 1/04, 1/08							
1 1 1	t.01 A612 1/04,	17 0 0					
II. 国際調査を行った分野 調査を行った最小限資料							
分類体系 分類 記号							
I P C A61F 1/00, 1/03, 1/04, 1/08, 1/10							
最小限資料以外の資料で調査を行ったもの							
1000#							
日本國天出別朱公和							
日本国公開実用新案公報 1971 - 1982年							
Ⅲ. 関連する技術に関する文献							
引用文献の カテゴリー	引用文献名 及び一部の箇所が関連する	ときは、その関連する箇所の表示	請求の範囲の番号				
A	JP.U. 54-133697	(株式会社 会仙電機製作所)	1				
•	17. 9月. 1979(17.09.						
A	JP, Y2, 56- 4008	(株式会社 今仙電機製作所)。	1				
	29 1月. 1981(29.01.8	3 1)					
	JP, B1, 33- 347	(印度系支。高楼 华)。	1				
A							
	24. 1月. 1958(24.01.5	38)					
	•						
	•						
#引用文献のカテゴリー 「T」国際出版日又は優先日の後に公表された文献であって出版							
	(献のカテゴリー 関連のある文献ではなく、一般的技術水準を示すもの	と矛盾するものではなく、発明の原理	異又は理論の理解のた				
「E」 先行	文献ではあるが、国際出願日以後に公表されたもの	めに引用するもの 「X」特に関連のある文献であって、当該3	かばのみで禁明の新規				
「し」優先	権主張に延載を提起する文献又は他の文献の発行日 くは他の特別な理由を確立するために引用する文献	性又は進歩性がないと考えられるもの					
(理	由を付す)	「Y」特に関連のある文献であって、当該文献と他の1以上の文献との、当業者にとって自明である組合せによって進歩性					
「P、関原州質日前で、かつ停先権の主張の基礎となる出願の日 がないと考えられるもの							
の後に公表された文献 「&」同一パテントファミリーの文献							
N. 12 E							
国際調査	と完了した日	国際調査報告の発送日	10.00				
2	0, 10, 83	. 31	10.83				
国際調査	建開	権限のある教質	4 C 7 9 1 6				
	本国特許庁(ISA/JP)	特許庁審査官	The state of				
	A- FEE 1A EE 11 /	付町/) 御虹日 乾	雅 信 (章)				

様式PCT/ISA/210(第 2ページ) (1981年10月)